

Index to Volume 239

- Abumrad NA, *see* Febbraio M *et al*
- Agellon LB, Toth MJ, Thomson ABR: Intracellular lipid binding proteins of the small intestine 79–82
- Antonius M, *see* Helledie T *et al*
- Arner P, *see* Fisher RM *et al*
- Arumugam Y, *see* Koonen DPY *et al*
- Bartholomäus S, *see* Guthmann F *et al*
- Beets AL, *see* Febbraio M *et al*
- Besnard P, Niot I, Poirier H, Clément L, Bernard A: New insights into the fatty acid-binding protein (FABP) family in the small intestine 139–147
- Besnard A, *see* Besnard P *et al*
- Besnard P, *see* Landrier J-F *et al*
- Bonen A, Luiken JJFP, Glatz JFC: Regulation of fatty acid transport and membrane transporters in health and disease 181–192
- Bonen A, *see* Coort SLM *et al*
- Bonen A, *see* Koonen DPY *et al*
- Börchers T, *see* Guthmann F *et al*
- Cancedda R, *see* Descalzi Cancedda F *et al*
- Cermelli S, *see* Descalzi Cancedda F *et al*
- Chang W, *see* Wu Q *et al*
- Clément L, *see* Besnard P *et al*
- Coburn C, *see* Febbraio M *et al*
- Coort SLM, Willems J, Coumans WA, van der Vusse GJ, Bonen A, Glatz JFC, Luiken JJFP: Sulfo-*N*-succinimidyl esters of long chain fatty acids specifically inhibit fatty acid translocase (FAT/CD36)-mediated cellular fatty acid uptake 213–219
- Coumans WA, *see* Coort SLM *et al*
- Coumans WA, *see* Koonen DPY *et al*
- Dahlmans VEH, *see* Goudriaan JR *et al*
- Davies JK, *see* Hagan RM *et al*
- Descalzi Cancedda F, Dozin B, Zerega B, Cermelli S, Gentili C, Cancedda R: Ex-FABP, extracellular fatty acid binding protein, is a stress lipocalin expressed during chicken embryo development 221–225
- Dozin F, *see* Descalzi Cancedda F *et al*
- Duttaroy AK, *see* Salah-Uddin H *et al*
- Febbraio M, Guy E, Coburn C, Knapp FF Jr, Beets AL, Abumrad NA, Silverstein RL: The impact of overexpression and deficiency of fatty acid translocase (FAT)/CD36 193–197
- Febbraio M, *see* Goudriaan JR *et al*
- Fisher RM, Thörne A, Hamsten A, Arner P: Fatty acid binding protein expression in different human adipose tissue depots in relation to rates of lipolysis and insulin concentration in obese individuals 95–100
- Ford I, *see* Salah-Uddin H *et al*
- Fukui Y, *see* Fujishiro K *et al*
- Fujishiro K, Fukui Y, Sato O, Kawabe K, Seto K, Motojima K: Analysis of tissue-specific and PPAR α -dependent induction of FABP gene expression in the mouse liver by an *in vivo* DNA electroporation method 165–172
- Gentili C, *see* Descalzi Cancedda F *et al*
- Gilde AJ, *see* van Bilsen M *et al*
- Glatz JFC: Preface 1
- Glatz JFC, Luiken JJFP, van Bilsen M, van der Vusse GJ: Cellular lipid binding proteins as facilitators and regulators of lipid metabolism 3–7

- Glatz JFC, *see* Bonen A *et al*
 Glatz JFC, *see* Coort SLM *et al*
 Glatz JFC, *see* Koonen DPY *et al*
 Glatz JFC, *see* Schaap FG *et al*
 Glatz JFC, *see* van der Vusse GJ *et al*
 Gordon MJ, *see* Salah-Uddin H *et al*
 Goudriaan JR, Dahlmans VEH, Febbraio M, Teusink B, Romijn JA, Havekes LM, Voshol PJ: Intestinal lipid absorption is not affected in CD36 deficient mice 199–202
 Greaves M, *see* Salah-Uddin H *et al*
 Grober J, *see* Landrier J-F *et al*
 Guo W, *see* Hamilton JA *et al*
 Guthmann F, Borchers T, Wolfrum C, Wustrack T, Bartholomäus S, Spener F: Plasma concentration of intestinal- and liver-FABP in neonates suffering from necrotizing enterocolitis and in healthy preterm neonates 227–234
 Guy E, *see* Febbraio M *et al*
 Hagan RM, Davies JK, Wilton DC: The effect of charge reversal mutations in the α -helical region of liver fatty acid binding protein on the binding of fatty-acyl CoAs, lysophospholipids and bile acids 55–60
 Hamilton JA, Guo W, Kamp F: Mechanism of cellular uptake of long-chain fatty acids: Do we need cellular proteins? 17–23
 Hamsten A, *see* Fisher RM *et al*
 Hanhoff T, Lücke C, Spener F: Insights into binding of fatty acids by fatty acid binding proteins 45–54
 Hasselbaink DM, Roemen THM, van der Vusse GJ: Protein acylation in the cardiac muscle like cell line, H9c2 101–112
 Hasselbaink DM, *see* van der Vusse *et al*
 Haunerland NH, *see* Wu Q *et al*
 Havekes LM, *see* Goudriaan JR *et al*
 Helledie T, Jørgensen C, Antonius M, Krogsdam A-M, Kratchmarova I, Kristiansen K, Mandrup S: Role of adipocyte lipid-binding protein (ALBP) and acyl-CoA binding protein (ACBP) in PPAR-mediated transactivation 157–164
 Higo T, *see* Wu Q *et al*
 Hsu K-T, *see* Storch J *et al*
 Jørgensen C, *see* Helledie T *et al*
 Kamp F, *see* Hamilton JA *et al*
 Kawabe K, *see* Fujishiro K *et al*
 Knapp FF Jr, *see* Febbraio M *et al*
 Kondo H, *see* Owada Y *et al*
 Koonen DPY, Coumans WA, Arumugam Y, Bonen A, Glatz JFC, Luiken JJFP: Giant membrane vesicles as a model to study cellular substrate uptake dissected from metabolism 121–130
 Kratchmarova I, *see* Helledie T *et al*
 Kristiansen K, *see* Helledie T *et al*
 Krogsdam A-M, *see* Helledie T *et al*
 Landrier J-F, Grober J, Zaghini I, Besnard P: Regulation of the ileal bile acid-binding protein gene: An approach to determine its physiological function(s) 149–155
 Lindhout M, *see* van Bilsen M *et al*
 Lücke C, *see* Hanhoff T *et al*
 Lücke C, *see* Rademacher M *et al*
 Luiken JJFP, *see* Bonen A *et al*
 Luiken JJFP, *see* Coort SLM *et al*
 Luiken JJFP, *see* Glatz JFC *et al*
 Luiken JJFP, *see* Koonen DPY *et al*
 Luiken JJFP, *see* van der Vusse GJ *et al*
 Mandrup S, *see* Helledie T *et al*
 Motojima K, *see* Fujishiro K *et al*
 Murphy EJ: Sterol carrier protein-2: Not just for cholesterol any more 87–93
 Niot I, *see* Besnard P *et al*
 Noda T, *see* Owada Y *et al*

| | |
|--|---------|
| | 237 |
| Owada Y, Suzuki I, Noda T, Kondo H: Analysis on the phenotype of E-FABP-gene knockout mice | 83-86 |
| Poirier H, <i>see</i> Besnard P <i>et al</i> | |
| Rademacher M, Zimmerman AW, Rüterjans H, Veerkamp JH, Lücke C: Solution structure of fatty acid-binding protein from human brain | 61-68 |
| Rickers-Haunerland J, <i>see</i> Wu Q <i>et al</i> | |
| Rodenburg KW, <i>see</i> van der Horst DJ <i>et al</i> | |
| Roemen THM, <i>see</i> Hasselbaink DM <i>et al</i> | |
| Romijn JA, <i>see</i> Goudriaan JR <i>et al</i> | |
| Rüterjans H, <i>see</i> Rademacher M <i>et al</i> | |
| Salah-Uddin H, Gordon MJ, Ford I, Tandon NN, Greaves M, Duttaroy AK: Surface expression of fatty acid translocase (FAT/CD36) on platelets in myeloproliferative disorders and non-insulin dependent diabetes mellitus: Effect on arachidonic acid uptake | 203-211 |
| Sato O, <i>see</i> Fujishiro K <i>et al</i> | |
| Schaap FG, van der Vusse GJ, Glatz JFC: Evolution of the family of intracellular lipid binding proteins in vertebrates | 69-77 |
| Seto K, <i>see</i> Fujishiro K <i>et al</i> | |
| Silverstein RL, <i>see</i> Febbraio M <i>et al</i> | |
| Spener F, <i>see</i> Guthmann F <i>et al</i> | |
| Spener F, <i>see</i> Hanhoff T <i>et al</i> | |
| Storch J, Veerkamp JH, Hsu K-T: Similar mechanisms of fatty acid transfer from human anal rodent fatty acid-binding proteins to membranes: Liver, intestine, heart muscle, and adipose tissue FABPs | 25-33 |
| Suzuki I, <i>see</i> Owada Y <i>et al</i> | |
| Tandon NN, <i>see</i> Salah-Uddin H <i>et al</i> | |
| Teusink B, <i>see</i> Goudriaan JR <i>et al</i> | |
| Thomson ABR, <i>see</i> Agellon LB <i>et al</i> | |
| Thörne A, <i>see</i> Fisher RM <i>et al</i> | |
| Toth MJ, <i>see</i> Agellon LB <i>et al</i> | |
| van Bilsen M, van der Vusse GJ, Gilde AJ, Lindhout M, van der Lee KAJM: Peroxisome proliferator-activated receptors: Lipid binding proteins controlling gene expression | 131-138 |
| van Bilsen M, <i>see</i> Glatz JFC <i>et al</i> | |
| van Bilsen M, <i>see</i> van der Vusse GJ <i>et al</i> | |
| van der Lee KAJM, <i>see</i> van Bilsen M <i>et al</i> | |
| van der Vusse GJ, <i>see</i> van Bilsen M <i>et al</i> | |
| van Hoof D, <i>see</i> van der Horst DJ | |
| van der Horst DJ, van Hoof D, van Marrewijk WJA, Rodenburg KW: Alternative lipid mobilization: The insect shuttle system | 113-119 |
| van der Vusse GJ, van Bilsen M, Glatz JFC, Hasselbaink DM, Luiken JJFP: Critical steps in cellular fatty acid uptake and utilization | 9-15 |
| van der Vusse GJ, <i>see</i> Coort SLM <i>et al</i> | |
| van der Vusse GJ, <i>see</i> Glatz JFC <i>et al</i> | |
| van der Vusse GJ, <i>see</i> Hasselbaink DM <i>et al</i> | |
| van der Vusse GJ, <i>see</i> Schaap FG <i>et al</i> | |
| van Marrewijk WJA, <i>see</i> van der Horst DJ <i>et al</i> | |
| Veerkamp JH, <i>see</i> Storch J <i>et al</i> | |
| Veerkamp JH, <i>see</i> Rademacher M <i>et al</i> | |
| Voshol PJ, <i>see</i> Goudriaan JR <i>et al</i> | |
| Weisiger RA: Cytosolic fatty acid binding proteins catalyze two distinct steps in intracellular transport of their ligands | 35-43 |
| Willems J, <i>see</i> Coort SLM <i>et al</i> | |
| Wilton DC, <i>see</i> Hagan RM <i>et al</i> | |
| Wu Q, Chang W, Rickers-Haunerland J, Higo T, Haunerland NH: Characterization of a new fatty acid response element that controls the expression of the locust muscle FABP gene | 173-180 |
| Wulfrum C, <i>see</i> Guthmann F <i>et al</i> | |
| Wustrack T, <i>see</i> Guthmann F <i>et al</i> | |
| Zaghini I, <i>see</i> Landrier J-F <i>et al</i> | |
| Zerega B, <i>see</i> Descalzi Cancedda F <i>et al</i> | |
| Zimmerman AW, <i>see</i> Rademacher M <i>et al</i> | |